

1. EPA's Renovation, Repair and Painting Final Rule (40 CFR 745) requires that renovations conducted for compensation on targeted housing.
 - A. can be performed by anyone
 - B. can only be performed by the homeowner
 - C. must be performed by Certified Firms using Certified renovators
 - D. can only be performed by Abatement Contractors

2. Target Housing is
 - A. a home built specifically for the elderly
 - B. any zero bedroom dwelling or studio apartment
 - C. military barracks
 - D. homes built on or before December 31, 1977

3. A child occupied facility is
 - A. a daycare center or school
 - B. a portion of a building visited by the same child under the age of six when combined annual visits are 60 hours
 - C. any building that a child under the age of six occupies for at least 2080 hours a year, in two consecutive years.
 - D. any building children reside

4. Minor repair and maintenance activities are exempt from the EPA's Rule if they
 - A. disturb less than 6 square feet of interior painted surfaces per room and less than 20 square feet on exterior work
 - B. include windows by replacement
 - C. disturb more than 10 square feet per room of interior painted surfaces or 60 square feet of exterior component
 - D. there are no exemptions

5. The "Opt-Out" provision of the RRP rule applies when the homeowner certifies in writing:
 - A. that the homeowner and their family reside in the home
 - B. there is no child under age 6 or pregnant female residing in the home
 - C. there is no child occupied facility in the home
 - D. all of the above

6. What is a good indication that a house or housing unit may contain lead-based paint?
 - A. its location
 - B. age of the tenants
 - C. date of construction
 - D. none of the above

7. How does lead enter the body?
 - A. ingestion
 - B. inhalation
 - C. skin absorption
 - D. all of the above

8. The best way to check for lead exposure in children and adults is to take samples of:
 - A. blood
 - B. urine
 - C. skin cells
 - D. lung tissue

9. Which of the following activities could create a high level of lead dust?
 - A. dry sanding of lead- based paint
 - B. dry scraping of lead-based paint
 - C. dry broom sweeping
 - D. all of the above

10. Lead abatement work can be done by:
 - A. construction workers as part of their regular duties
 - B. EPA trained or certified renovators
 - C. EPA trained or certified lead-abatement workers and supervisors
 - D. OSHA certified construction safety workers

11. Which of following procedures are considered good worksite preparations per EPA's Renovation, Repair and Painting Final Rule (40 CFR 745)?
 - A. Power washing loose paint
 - B. Restricting sidewalk access at front of home during exterior work
 - C. Placing plastic barriers to contain the work area when necessary
 - D. All of the above

12. Which of the following equipment is appropriate for use on remodeling and renovation projects where lead may be disturbed?
 - A. leaf blowers and fans
 - B. HEPA vacuum, cleaning detergents, mops, and buckets
 - C. blow torch to burn off paint
 - D. shop vacuum for clean-up

13. Which of the following is/are not prohibited lead hazard control methods?
 - A. HEPA vacuum and wet methods
 - B. heat guns operating above 1,100 degrees F.
 - C. open flame burning
 - D. excessive dry scraping and sanding

14. Clean-up is done:
 - A. immediately before the supervisor arrives
 - B. only if the home owner request it
 - C. using wet methods and HEPA vacuums
 - D. only if you see dust

15. Safe work practices after lead-based paint has been disturbed includes storing waste debris in:
 - A. open dumpsters
 - B. thick plastics bags or sheeting, preferably 6 mil or equivalent
 - C. dump trucks
 - D. pick-up trucks and passenger vehicles

16. EPA Renovator record keeping requirements stipulate that the contractor maintain:
 - A. Project records for three years
 - B. Disclosure records relating to the distribution of the lead pamphlet
 - C. Documentation of compliance with the requirements of the Lead-Based Paint Renovation, Repair, and Painting Program
 - D. all of the above

17. Interior cleaning verification is the responsibility of:
- A. the homeowner
 - B. the worker
 - C. the certified renovator
 - D. anyone at the worksite
18. Emergency renovations are:
- A. unplanned activities done to prevent an immediate safety hazard or to prevent significant property damage
 - B. new exterior siding and windows
 - C. kitchen remodeling
 - D. new additions
19. Work practice requirements specific to interior renovations include:
- A. removing or covering objects within the work area
 - B. closing windows and sealing ducts within the work area
 - C. covering floors with taped down plastic sheeting
 - D. all of the above
20. If the home owner request that the contractor test paint for lead the contractor must:
- A. use an EPA recognized lead-based paint testing kit
 - B. use any testing kit available
 - C. advice them it's not required
 - D. none of the above
21. Containment is required by the RRP rule because it:
- A. reduces the risk to you and the residents
 - B. facilitates efficient cleaning of the work area
 - C. keeps unauthorized individuals out of the work area
 - D. all of the above
22. Exterior containment includes:
- A. opening windows near the worksite
 - B. blocking streets and driveways
 - C. avoiding high winds where possible
 - D. none of the above

23. HUD's lead regulations impact:
- A. all housing
 - B. commercial property
 - C. federally funded targeted housing
 - D. apartment buildings only
24. When lead- based paint will be disturbed by renovation for more than a day the certified renovator should:
- A. wait to clean at the end of the project
 - B. cover all debris on the ground with plastic
 - C. remove all debris and HEPA vacuum all horizontal surfaces within the worksite daily
 - D. complete a dry broom sweep of the area
25. Final interior cleaning verification procedure within the worksite includes:
- A. carpeted floors and tabletops
 - B. counter tops and windowsills within the worksite
 - C. all horizontal surfaces within and 2 feet outside the work area
 - D. all of the above